


collection
2019

Discover ture
Inspiration

SOLUBLE SALT
VITRIFIED TILES
—
600x600mm



SOLUBLE SALT
 VITRIFIED TILES




NANO TECHNOLOGY

 FLOOR TILES

 LOW WATER ABSORPTION

UNICO

AZIZA

SOLUBLE SALT
VITRIFIED TILES
60 x 60 cm



**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



NERO



CARARA BLUE



NERO
600x600mm / VITRIFIED TILES

 _HOUSE  _AIRPORT  _CAFÉ / BAR  _HOSPITAL

SOLUBLE SALT
VITRIFIED TILES
60 x 60 cm




ONISTA
600x600mm / VITRIFIED TILES


**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



ONISTA



CARARA

SOLUBLE SALT
VITRIFIED TILES
60 x 60 c m


**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



HONEY



CREMA GOLD



HONEY
600x600mm / VITRIFIED TILES

 _HOUSE  _AIRPORT  _CAFÉ / BAR  _HOSPITAL

SOLUBLE SALT
VITRIFIED TILES
60 x 60 c m




FRAGOLA
600x600mm / VITRIFIED TILES



**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



FRAGOLA




ORCHID

SOLUBLE SALT
VITRIFIED TILES
60 x 60 c m



**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



AQUA



CRYSTAL



AQUA
600x600mm / VITRIFIED TILES

 _HOUSE  _AIRPORT  _CAFÉ / BAR  _HOSPITAL

SOLUBLE SALT
VITRIFIED TILES
60 x 60 c m




AVENTURA
600x600mm / VITRIFIED TILES


**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



AVENTURA




ESPANIA

SOLUBLE SALT
VITRIFIED TILES
60 x 60 cm


**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



DYNA



FEATHER



DYNA
600x600mm / VITRIFIED TILES

 _HOUSE  _AIRPORT  _CAFÉ / BAR  _HOSPITAL


SOLUBLE SALT
VITRIFIED TILES
60 x 60 cm



HARMONEY



HERITAGE



IVORY



SIMPLY ROSA



CRYSTAL GREY



ROANTIQA

SOLUBLE SALT
VITRIFIED TILES
60 x 60 c m


**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



FOREST



ROSA WAVES



FOREST
600x600mm / VITRIFIED TILES

 _HOUSE  _AIRPORT  _CAFÉ / BAR  _HOSPITAL

SOLUBLE SALT
VITRIFIED TILES
60 x 60 c m




PINE WOOD
600x600mm / VITRIFIED TILES


**NANO
TECHNOLOGY**


FLOOR TILES


LOW WATER ABSORPTION



PINE WOOD



MIRROR WOOD

SOLUBLE SALT
VITRIFIED TILES
60 x 60 cm

**NANO
TECHNOLOGY**

FLOOR TILES

LOW WATER ABSORPTION



RAINBOW



SPARK



TRAVERTINO



ULTIMA GOLD



RAINBOW
600x600mm / VITRIFIED TILES

TECHNICAL SPECIFICATION

Sr. No	PROPERTY	International Std. ISO 13006/EN 176 Group Bla	VALUE	Method of Testing
1.	Deviation in Length	± 0.6 %	± 0.1 %	EN 98
2.	Deviation in Thickness	± 0.5 %	± 0.1 %	EN 98
3.	Straightness of Sides	± 0.5 %	± 0.1 %	EN 98
4.	Rectangularity	± 0.6 %	± 0.2 %	EN 98
5.	Surface Flatness	± 0.5 %	± 0.2 %	EN 98
6.	Water Absorption*	< 0.5 %	< 0.03 %	EN 99
7.	Mohs Hardness*	> 6	> 8	EN 101
8.	Flexural Straightness*	> 27 N/mm ²	> 47 N/mm ²	EN 100
9.	Abrasion Resistance	> 204 mm ²	> 144 mm ²	EN 102
10.	Skid Resistance (Friction Coefficient)	> 0.4	> 0.6	ASTM C-1028
11.	Breaking Strength*	1113 N	2830 N	ASTM C-648
12.	Density (g/cc)	> 2	2.4	DIN 51082
13.	Frost Resistance	Frost proof	Frost proof	EN 202
14.	Chemical Resistance	No Damage	No Damage	EN 106
15.	Thermal Shock Resistance	No Damage	No Damage	EN 104
16.	Colour Resistance	No Damage	No Damage	DIN 51094
17.	Thermal Expansion	< 9x10 ⁻⁶	< 6x10 ⁻⁶	EN 103
18.	Stain Resistance	Resistance	Resistance	ISO 10545-14
19.	Moisture Expansion	Nil	Nil	ISO 10545-10
20.	Glossiness	-	Min 65-70% Reflection	Glossmeter
19.	Nano Glossness	-	Min 65-70% Reflection	Glossmeter

PACKAGING DETAIL

Size	Normal Thickness	No. of Tiles/Box	Coverage Area	Weight of Box
600x600mm	9 mm (Approx)	4 Pcs.	1.44 Sq. mt.	28 kgs. (Approx)

DISCLAIMER : We Reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specification contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of colours, sizes, references should be verified for typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE ENTERTAINED ON TILES ALREADY LAID/FIXED